

## ELENCO DELLE PUBBLICAZIONI DEL PROF. PIERPAOLO TRIMBOLI

<b>INTERNATIONAL INDEXED JOURNALS</b> n=138 Original papers=72 Systematic Reviews/Meta-analysis=33 Narrative Reviews=16 Case Reports=9 Letters/Editorials/Viewpoint=8	
In press	<p>Performance of five ultrasound risk stratification systems in selecting thyroid nodules for FNA. A meta-analysis.            Castellana M, Castellana C, Treglia G, Giorgino G, Giovanella L, Russ G, <b>Trimboli P.</b>  <i>Journal of Clinical Endocrinology and Metabolism</i></p> <p>Rates of 'Thy 1-Non-Diagnostic' Thyroid FNA using the UK Royal College of Pathologists Thy Terminology. A systematic review of the literature comparing patients undergoing rapid on-site assessment (ROSE) and those that do not.            Poller D, Doyle V, <b>Trimboli P</b>, Bongiovanni M.  <i>Cytopathology</i></p> <p>Ultrasound risk stratification systems for thyroid nodule: between lights and shadows, we are moving towards a new era.  <b>Trimboli P</b>, Durante C.  <i>Endocrine</i></p> <p>Testing for Afirma in thyroid nodules with high risk indeterminate cytology (TIR3B): first Italian experience            Andrioli M, Carocci S, Alessandrini S, Amini M, Van Doorn D, Pace D, Lauria A, Raffaelli M, <b>Trimboli P.</b>  <i>Endocrine Pathology</i></p> <p>Prevalence of gastrointestinal disorders having an impact on tablet levothyroxine absorption: should this formulation still be considered as the first-line therapy?            Castellana M, Castellana C, Giovanella L, <b>Trimboli P.</b>  <i>Endocrine</i></p> <p>Different formulations of levothyroxine for treating hypothyroidism: a real-life study.  <b>Trimboli P</b>, Scappaticcio L, De Bellis A, Maiorino MI, Knappe L, Esposito K, Bellastella G, Giovanella L.  <i>International Journal of Endocrinology</i></p> <p>Performance of contrast enhanced ultrasound (CEUS) in assessing thyroid nodules. A systematic review and meta-analysis using histological standard of reference.  <b>Trimboli P</b>, Castellana M, Virili C, Flesland Havre R, Bini F, Marrazzo F, D'Ambrosio F, Giorgino F, Giovanella L, Prosch H, Grani G, Radzina M, Cantisani V.  <i>La Radiologia Medica</i></p> <p>Patient age is an independent risk factor of relapse of differentiated thyroid carcinoma and improves the performance of the ATA stratification system.  <b>Trimboli P*</b>, Piccardo A*, Signore A, Valabrega S, Barnabei A, Santolamazza G, Di Paolo A, Stati V, Chieffari A, Vottari S, Simmaco M, Ferrarazzo G, Ceriani L, Appeteccchia M**, Giovanella**            *equal contribution            **senior authorship  <i>Thyroid</i></p> <p>Risk of Malignancy (ROM) of thyroid FNA diagnosed as suspicious for malignancy or malignant. An institutional experience with systematic review and meta-analysis of literature.  <b>Trimboli P</b>, Fulciniti F, Paone G, Barizzi J, Piccardo A, Merlo E, Mazzucchelli L, Giovanella L.  <i>Endocrine Pathology</i></p>

Testing for BRAF(V600E) mutation in thyroid nodules with fine-needle aspiration (FNA) read as suspicious for malignancy (Bethesda V, Thy4, TIR4). A systematic review and meta-analysis.

**Trimboli P\***, Scappaticcio L\*, Treglia G, Guidobaldi L, Bongiovanni M, Giovanella L.

\*equal contribution

Endocrine Pathology

Can ultrasound systems for risk stratification of thyroid nodules identify follicular carcinoma?

Castellana M, Piccardo A, Virili C, Scappaticcio L, Grani G, Durante C, Giovanella L, **Trimboli P**.

Cancer Cytopathology

Efficacy and safety of very low calorie ketogenic diet (VLCKD) in patients with overweight and obesity. A systematic review and meta-analysis.

Castellana M, Conte E, Cignarelli A, Perrini S, Giustina A, Giovanella L, Giorgino F, **Trimboli P**.

Reviews in Endocrine and Metabolic Disorders

The role of systematic review and meta-analysis in modern cytopathology.

**Trimboli P**, Treglia G, Giovanella L, Bongiovanni M.

Cancer Cytopathology

Comparison of high intensity focused ultrasound and radioiodine for treating toxic thyroid nodules.

Giovanella L, Piccardo A, Pezzoli C, Bini F, Ricci R, Ruberto T, **Trimboli P**.

Clinical Endocrinology

2020 Risk of Malignancy (ROM) in the various categories of the UK Royal College of Pathologists Thy

terminology for thyroid FNAC cytology: A systematic review and meta-analysis

Poller D, Bongiovanni M, **Trimboli P**

Cancer Cytopathology 2020; 128: 36-42

Alemtuzumab-induced thyroid events in multiple sclerosis. A systematic review and meta-analysis.

Scappaticcio L, Castellana M, Virili C, Centanni M, Bellastella G, Ruggeri RM, Giovanella L, **Trimboli P**.

Journal of Endocrinological Investigation 2020; 43: 219-229

Efficacy of thermal ablation in benign non-functioning solid thyroid nodule. A systematic review and meta-analysis.

**Trimboli P**, Castellana M, Sconfienza LM, Virili C, Pescatori LC, Cesareo R, Giorgino F, Negro R, Giovanella L, Mauri G.

Endocrine 2020; 67: 35-43

Thermal ablation meta-analysis: The need of careful appraisal of meta-analysis methodology.

**Trimboli P**, Castellana M, Sconfienza LM, Virili C, Pescatori LC, Cesareo R, Giorgino F, Negro R, Giovanella L, Giovanni Mauri G.

Endocrine 2020; 67: 270-271

Diagnostic testing for Graves' or non-Graves' hyperthyroidism: a comparison of two thyrotropin receptor antibody immunoassays with thyroid scintigraphy and ultrasonography.

Scappaticcio L, **Trimboli P**, Keller F, Imperiali M, Piccardo A, Giovanella L.

Clinical Endocrinology 2020; 92: 169-178

2019 Fine-needle aspiration to diagnose primary thyroid lymphomas: a systematic review and meta-analysis.

Zhang L, Castellana M, Virili C, Crescenzi A, Giorgino F, Zucca E, Ceriani L, Cavalli F, Giovanella L, **Trimboli P**.

European Journal of Endocrinology 2019; 180: 177-187

High-intensity focused ultrasound (HIFU) for benign thyroid nodules: 2-year follow-up results.

**Trimboli P**, Pelloni F, Bini F, Marzocchi F, Giovanella L.

Endocrine 2019; 65: 312-317

Impact of non-invasive follicular thyroid neoplasms with papillary-like nuclear features (NIFTP) on risk of malignancy in patients undergoing lobectomy/thyroidectomy for suspicious for malignancy or malignant fine-needle aspiration cytology findings: a systematic review and meta-analysis.  
Bongiovanni M, Faquin WC, Giovanella L, Durante C, Kopp P; **Trimboli P**.  
European Journal Endocrinology 2019; 181: 389-396

Unstimulated high-sensitive thyroglobulin is a powerful prognostic predictor in patients with thyroid cancer.  
Giovanella L, Castellana M, **Trimboli P**.  
Clinical Chemistry and Laboratory Medicine 2019; 58: 130-137

Calcium citrate: from biochemistry and physiology to clinical applications  
Palermo A, Naci AM; Tabacco G; Manfrini S, **Trimboli P**, Vescini F, Falchetti A  
Reviews in Endocrine and Metabolic Disorders 2019; 20: 353-364

Prognosis of patients with differentiated thyroid carcinomas having a preoperative cytological report of indeterminate at low or high risk. A multicenter study.  
**Trimboli P**, Palermo A, Deandrea M, Piccardo A, Campenni A, Valabrega S, Grani G, Santolamazza G, Bottoni G, Barnabei A, Ramundo V, Lauretta R, Monte L, Ferrarazzo G, Paone G, Crosetto C, Ruggeri RM, Baldari S, Chiefari A, Vottari S, Giarnieri E, Perrella E, Limone P, Durante C, Giovanella L, Appeteccchia M, Crescenzi A.  
Endocrine 2019; 66: 557-562

An unsuspicious thyroid nodule with fatal outcome.  
Scappaticcio L, Virili C, Castellana M, Paone G, Centanni M, **Trimboli P**, Giovanella L.  
Hormones 2019; 18: 321-324

Novel thyroxine formulations: a further step toward precision medicine  
Virili C, **Trimboli P**, Centanni M.  
Endocrine 2019; 66: 87-94

Performance of 18F-FDG PET/CT in selecting thyroid nodules with indeterminate fine-needle aspiration cytology for surgery. A systematic review and a meta-analysis.  
Castellana M, **Trimboli P**, Piccardo A, Giovanella L, Treglia G.  
Journal of Clinical Medicine 2019;8. pii: E1333

Primary hyperparathyroidism with surgical indication and negative or equivocal scintigraphy: safety and reliability of PTH washout. A systematic review and meta-analysis.  
Castellana M, Virili C, Palermo A, Giorgino F, Giovanella L, **Trimboli P**.  
European Journal of Endocrinology 2019; 181: 245-253

Long term efficacy of a single session radiofrequency ablation of benign thyroid nodules: a longitudinal 5-year observational study.  
Deandrea M, **Trimboli P**, Garino F, Mormile A, Magliona G, Ramunni MJ, Giovanella L, Limone PP  
Journal of Clinical Endocrinology & Metabolism 2019; 104: 3751-3756

A multicenter validation study for the EU-TIRADS using histological diagnosis as a gold standard.  
**Trimboli P**, Ngu R, Royer B, Giovanella L, Bigorgne C, Simo R, Carroll P, Russ G.  
Clinical Endocrinology 2019; 91: 340-347

Measuring thyroglobulin in patients with thyroglobulin autoantibodies: evaluation of the clinical impact of BRAHMS Kryptor® Tg-minirecovery test in a large series of patients with differentiated thyroid carcinoma.  
Giovanella L, Verburg FA, **Trimboli P**, Imperiali M, Keller F, Ceriani L.  
Clinical Chemistry and Laboratory Medicine 2019; 57: 1185-1191

PET/CT in thyroid nodule and differentiated thyroid cancer patients. The evidence-based state of the art.  
Piccardo A, **Trimboli P**, Foppiani L, Treglia G, Ferrarazzo G, Massollo M, Bottoni G, Giovanella L.  
Reviews in Endocrine and Metabolic Disorders 2019; 20: 47-64

99mTc-pertechnetate scintigraphy predicts successful postoperative ablation in differentiated thyroid carcinoma patients treated with low radioiodine activities.

Giovanella L, Paone G, Ruberto T, Ceriani L, **Trimboli P**.  
Endocrinology and Metabolism 2019; 34: 63-69.

Endocrine and metabolic adverse effects of immune checkpoint inhibitors: an overview (what endocrinologists should know).

Ruggeri RM, Campenni A, Giuffrida G, **Trimboli P**, Giovanella L, Trimarchi F, Cannavò S.  
Journal of Endocrinological Investigation 2019; 42: 745-756

Efficacy of radiofrequency ablation in autonomous functioning thyroid nodules. A systematic review and meta-analysis.

Cesareo R, Palermo A, Benvenuto D, Cella E, Pasqualini V, Bernardi S, Stacul F, Angeletti S, Mauri G, Ciccozzi M, **Trimboli P**.  
Reviews in Endocrine and Metabolic Disorders 2019; 20: 37-44

Re: "Diagnostic Performance of Technetium-99m Methoxy-Isobutyl-Isonitrile for Differentiation of Malignant Thyroid Nodules: A Systematic Review and Meta-Analysis" by Kim et al. (Thyroid 2018; 28: 1339-1348).

Campenni A, **Trimboli P**, Giovanella L.  
Thyroid 2019; 29: 896-897

Role of 18F-FCH PET/CT to detect structural relapse in high risk Differentiated Thyroid Cancer patients.

Piccardo A\*, **Trimboli P\***, Puntoni M, Foppiani L, Treglia G, Naseri M, Bottoni GL, Massollo M, Sola S, Ferrarazzo G, Bruzzone M, Catrambone U, Arlandini A, Paone G, Ceriani L, Cabria M, Giovanella L.  
\*equal contribution.

Thyroid 2019; 29: 549-556

Euthyroid Graves' disease with spurious hyperthyroidism: a diagnostic challenge.

Giovanella L, Imperiali M, Kasapic D, Ceriani L, **Trimboli P**.  
Clinical Chemistry and Laboratory Medicine 2019; 57: e94-e96

Dedicated neck 18F-FDG PET/CT: an additional tool for risk assessment in thyroid nodules at ultrasound intermediate risk

**Trimboli P**, Piccardo A, Alevizaki M, Virili C, Naseri M, Sola S, Paone G, Russ G, Luca Giovanella L.  
Clinical Endocrinology 2019; 90: 737-743

Italian consensus for the classification and reporting of thyroid cytology: the risk of malignancy between indeterminate lesions at low or high risk. A systematic review and meta-analysis.

**Trimboli P**, Crescenzi A, Castellana M, Giorgino F, Giovanella L, Bongiovanni M.  
Endocrine 2019; 63: 430-438

Additional value of integrated 18F-choline PET/4D contrast-enhanced CT in the localization of hyperfunctioning parathyroid glands and correlation with molecular profile.

Piccardo A, **Trimboli P**, Rutigliani M, Puntoni M, Foppiani L, Bacigalupo L, Crescenzi A, Bottoni G, Treglia G, Paparo F, Del Monte P, Lanata M, Paone G, Ferrarazzo G, Catrambone U, Arlandini A, Ceriani L, Cabria M, Giovanella L.

European Journal of Nuclear Medicine and Molecular Imaging 2019; 46: 766-775

Cytological diagnoses associated with non-invasive follicular thyroid neoplasms with papillary-like nuclear features, (NIFTP) according to the Bethesda System for Reporting Thyroid Cytopathology: a systematic review and meta-analysis.

Bongiovanni M, Giovanella L, Romanelli F, **Trimboli P**.  
Thyroid 2019; 29: 222-228

Solid papillary thyroid carcinoma with Hashimoto's thyroiditis. Description of a further case with challenging cytologic features.

Fulciniti F, Barizzi J, **Trimboli P**, Giovanella L.  
British Journal Medicine Case Reports 2019 Jan 17;12(1)

2018	<p>Fine-needle aspiration in all thyroid incidentalomas at <math>^{18}\text{F}</math>-FDG PET/CT: can EU-TIRADS revise the dogma?  <u>Trimboli P</u>, Paone G, Treglia G, Virili C, Ruberto T, Ceriani L, Piccardo A, Giovanella L.  <i>Clinical Endocrinology</i> 2018; 89: 642-648</p> <p>Measuring procalcitonin to overcome heterophilic antibody-induced spurious hypercalcitoninemia.  Giovanella L, Giordani I, Imperiali M, Orlandi F, <u>Trimboli P</u>.  <i>Clinical Chemistry and Laboratory Medicine</i> 2018; 56: e191-e193</p> <p>Cancer rate of the indeterminate lesions at low or high risk according to Italian system for reporting of thyroid FNAC.  Valabrega S, Santolamazza G, Romanelli F, Scapicchio G, D'Angelo F, Bellotti C, Aurelio P, Izzo L, Giovagnoli MR, <u>Trimboli P</u>.  <i>Frontiers in Endocrinology</i> 2018; 9: 371</p> <p>High-intensity focused ultrasound (HIFU) therapy for benign thyroid nodules without anesthesia or sedation.  <u>Trimboli P</u>, Bini F, Marrazzi F, Baek JH, Giovanella L.  <i>Endocrine</i> 2018; 61: 210-215</p> <p>Ultrasound and ultrasound-related techniques in endocrine diseases.  <u>Trimboli P</u>, Dietrich C, David E, Mastroeni G, Ventura Spagnolo O, Sidhu P, Letizia C, Messineo D, D'Ambrosio F, Radzina M, Cantisani V.  <i>Minerva Endocrinol</i> 2018; 43: 333-40</p> <p>Procalcitonin as marker of recurrent medullary thyroid carcinoma. A systematic review and meta-analysis.  <u>Trimboli P</u>, Giovanella L.  <i>Endocrinology and Metabolism</i> 2018; 33: 204-210.</p> <p>Procalcitonin as postoperative marker in the follow-up of patients affected by medullary thyroid carcinoma.  <u>Trimboli P</u>, Lauretta R, Barnabei A, Valabrega S, Romanelli F, Giovanella L, Appeteccchia M.  <i>International Journal of Biological Markers</i> 2018; 33: 156-160</p> <p>Could short thyroid hormone withdrawal be an effective strategy for radioiodine remnant ablation in differentiated thyroid cancer patients?  Piccardo A, Puntoni M, Ferrarazzo G, Foppiani L, Bottoni G, Altrinetti V, Treglia G, Naseri M, Dib B, Cabria M, <u>Trimboli P</u>, Massollo M, Giovanella L.  <i>European Journal of Nuclear Medicine and Molecular Imaging</i> 2018; 45: 1218-1223</p> <p>Imaging in primary hyperparathyroidism: focus on the evidence-based diagnostic performance of different methods.  Treglia G, <u>Trimboli P</u>, Hullner M, Giovanella L.  <i>Minerva Endocrinologica</i> 2018; 43: 133-143</p> <p>Efficacy of Vandetanib in treating locally advanced or metastatic medullary thyroid carcinoma according to RECIST criteria. A systematic review and meta-analysis.  <u>Trimboli P</u>, Castellana M, Virili C, Giorgino F, Giovanella L.  <i>Frontiers in Endocrinology</i> 2018; 9: 224</p> <p>Procalcitonin measurement to screen medullary thyroid carcinoma: a prospective evaluation in a series of 2705 patients with thyroid nodules.  Giovanella L, Imperiali M, Piccardo A, Taborelli M, Verburg FA, Daurizio F, <u>Trimboli P</u>.  <i>European Journal of Clinical Investigation</i> 2018; 48: e12934</p> <p>Reliability of core needle biopsy as second-line procedure in thyroid nodules with indeterminate FNA report: a systematic review and meta-analysis.  <u>Trimboli P</u>, Giovanella L.  <i>Ultrasonography</i> 2018; 37: 121-128</p>
------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Performance of Italian consensus for the classification and reporting of thyroid cytology in discriminating indeterminate lesions at low and high risk of malignancy. A systematic review and meta-analysis.

Trimboli P, Crescenzi A, Giovanella L.

Endocrine 2018; 60: 31-35

The significance of having an excellent patient's comfort with thyroid Core Needle Biopsy.

Trimboli P, Giovanella L.

Endocrinology and Metabolism 2018; 33: 53-54

American Thyroid Association ultrasound system for the initial assessment of thyroid nodules: Use in stratifying the risk of malignancy of indeterminate lesions.

Trimboli P, Deandrea M, Mormile A, Ceriani L, Garino F, Limone PP, Giovanella L.

Head & Neck 2018; 40: 722-727

Thyroxine treatment with soft gel capsule formulation: usefulness in hypothyroid patients without malabsorption.

Trimboli P, Virili C, Centanni M, Giovanella L.

Frontiers in Endocrinology 2018; 9: 118

Levothyroxine therapy: changes of TSH levels by switching patients from tablet to liquid formulation. A systematic review and meta-analysis.

Virili C, Giovanella L, Fallahi P, Antonelli A, Santaguida MG, Centanni M, Trimboli P.

Frontiers in Endocrinology 2018; 9: 10

Treatment of benign thyroid nodules by high intensity focused ultrasound (HIFU) at different acoustic powers: a study on in-silico phantom.

Bini F, Trimboli P, Marrazzini F, Giovanella L.

Endocrine 2018; 59: 506-509

Histologic outcome of indeterminate thyroid nodules classified at low or high risk.

Trimboli P, Fulciniti F, Merlo E, Barizzi J, Mazzucchelli L, Giovanella L.

Endocrine Pathology 2018; 29: 75-79

Multicenter clinical evaluation of the new highly-sensitive Elecsys® thyroglobulin II assay in patients with differentiated thyroid carcinoma.

Trimboli P, Imperiali M, Piccardo A, Campenni' A, Giordani I, Ruggeri RM, Baldari S, Orlandi F, Giovanella L.

Clinical Endocrinology 2018; 88: 295–302

Early post-treatment risk stratification of differentiated thyroid cancer: comparison of three high-sensitive Tg assays.

Giovanella L, Imperiali M, Verburg FA, Trimboli P.

European Journal of Endocrinology 2018; 178: 77-84

2017 Thyroglobulin autoantibodies before radioiodine ablation predict differentiated thyroid cancer outcome.

Trimboli P, Zilioli V, Imperiali M, Giovanella L.

Clinical Chemistry and Laboratory Medicine 2017; 55: 1995-2001

Measurement of thyroglobulin, calcitonin, and PTH in FNA washout fluids: a review.

Trimboli P, D'Aurizio F, Tozzoli R, Giovanella L.

Clinical Chemistry and Laboratory Medicine 2017; 55: 914-925

Real-time elastography in autonomously functioning thyroid nodules: relationship with TSH levels, scintigraphy and ultrasound patterns.

Trimboli P, Paone G, Zatelli MC, Ceriani L, Giovanella L.

Endocrine 2017; 58: 488-494

Thyroid core needle biopsy: the strengths of guidelines of the Korean Society of Thyroid Radiology.

Crescenzi A, Trimboli P.

Korean Journal of Radiology 2017; 18: 867-869

Role of serum cytokeratin 19 fragment (Cyfra 21.1) as a prognostic biomarker in patients with differentiated thyroid cancer.

Giovanella L, Imperiali M, **Trimboli P.**

Scientific Reports 2017; 7: 7359

Unusual case of tumor of unknown origin found by 18F-FDG PET/CT: Metastatic clear cell carcinoma of the thyroid gland.

Treglia G, **Trimboli P**, Zilioli V, Fulciniti F, Giovanella L.

Revista Española de Medicina Nuclear e Imagen Molecular 2017: S2253-654X(16)30225-6

Galectin-3 Performance in Histologic a Cytologic Assessment of Thyroid Nodules: A Systematic Review and Meta-Analysis.

**Trimboli P**, Virili C, Romanelli F, Crescenzi A, Giovanella L.

Int J Mol Sci. 2017;18: E1756

Letter to the Editor: "Postoperative Thyroglobulin and Neck Ultrasound in the Risk Restratiification and Decision to Perform 131I Ablation".

Giovanella L, Ceriani L, **Trimboli P.**

Journal of Clinical Endocrinology & Metabolism 2017; 102: 1783-1784

High-sensitive basal serum thyroglobulin 6-12 months after thyroid ablation is strongly associated with early response to therapy and event-free survival in patients with low to intermediate risk differentiated thyroid carcinomas.

**Trimboli P**, Zilioli V, Imperiali M, Ceriani L, Giovanella L.

European Journal of Endocrinology 2017; 176: 497-504

Novel acquisitions in the diagnosis of medullary thyroid carcinoma.

**Trimboli P**, Crescenzi A, Saggiorato E, Treglia G, Giovanella L.

Minerva Endocrinol 2017; 42: 238-47

Detecting N-RAS Q61R mutated thyroid neoplasias by immunohistochemistry.

Crescenzi A, Fulciniti F, Bongiovanni M, Giovanella L., **Trimboli P.**

Endocrine Pathology 2017; 28: 71-74

Accuracy of international ultrasound risk stratification systems in thyroid lesions cytologically classified as indeterminate.

**Trimboli P**, Fulciniti F, Zilioli V, Ceriani L, Giovanella L.

Diagnostic Cytopathology 2017; 45: 113-117

2016 Searching for the most effective thyrotropin (TSH) threshold to rule-out autonomously functioning thyroid nodules in iodine deficient regions.

Giovanella L, D'Aurizio F, Campenni A, Ruggeri RM, Baldari S, Verburg FA, **Trimboli P**, Ceriani L.  
Endocrine 2016; 54: 757-61

Liquid and softgel levothyroxine use in clinical practice: state of the art.

Virili C, **Trimboli P**, Romanelli F, Centanni M.

Endocrine 2016; 54: 3-14

Liquid liothyronine to obtain target TSH in differentiated thyroid cancer patients.

**Trimboli P**, Centanni M, Virili C.

Endocrine Journal 2016; 63: 563-567

Serum markers measured in FNA fluids of medullary thyroid carcinoma occurring as a cyst.

**Trimboli P**, Guidobaldi L, Locuratolo N, Piro FR, Giordano M, Giovanella L.

International Journal of Biological Markers 2016; 31: e224-7

Molecular imaging with 99mTc-MIBI and molecular testing for mutations in differentiating benign from malignant follicular neoplasm: a prospective comparison.

Giovanella L, Campenni A, Verburg FA, **Trimboli P**, Ceriani L, Bongiovanni M.

European Journal of Nuclear Medicine and Molecular Imaging 2016; 43: 1018-26

Early diagnosis by FNA cytology should not influence the outcome of differentiated thyroid cancer.  
**Trimboli P**, Nigri G, Guidobaldi L, Romanelli F, Aurelio P, Crescenzi A, Appeteccchia M, Giovanella L, Valabrega S.

Endocrine Journal 2016; 63: 367-73

Galectin-3 and HBME-1 improve the accuracy of core biopsy in indeterminate thyroid nodules.  
**Trimboli P**, Guidobaldi L, Amendola S, Nasrollah N, Romanelli F, Attanasio D, Ramacciato G, Saggiorato E, Valabrega S, Crescenzi A.  
Endocrine 2016; 52: 39-45

Preoperative assessment of TERT promoter mutation on thyroid core needle biopsies supports diagnosis of malignancy and addresses surgical strategy.  
Crescenzi A, **Trimboli P**, Cicciarella Modica D, Taffon C, Guidobaldi L, Taccogna S, Rainer A, Trombetta M, Papini E, Zelano G.  
Hormone and Metabolic Research 2016; 48: 157-62

High-yield thyroid fine-needle aspiration cytology: an update focused on ancillary techniques improving its accuracy.  
Bongiovanni M, **Trimboli P**, Rossi ED, Fadda G, A. Nobile A, Giovanella L.  
European Journal of Endocrinology 2016, 174: 53-63

BRAF mutated carcinomas among thyroid nodules with prior indeterminate FNA report. A systematic review and meta-analysis.  
**Trimboli P**, Treglia G, Condorelli E, Romanelli F, Crescenzi A, Bongiovanni M, Giovanella L.  
Clinical Endocrinology 2016, 84: 315-20

Use of fine needle aspirate calcitonin to detect medullary thyroid carcinoma: a systematic review.  
**Trimboli P**, Guidobaldi L, Bongiovanni M, Crescenzi A, Alevizaki M, Giovanella L.  
Diagnostic Cytopathology 2016; 44: 45-51 [I.F. 1.1]

2015 Reliability of real time elastography to diagnose thyroid nodules previously read at FNAC as indeterminate: a meta-analysis.  
**Trimboli P**, Treglia G, Sadeghi R, Romanelli F, Giovanella L.  
Endocrine 2015; 50: 335-343

Dry eye syndrome in non exophthalmic Graves' disease.  
Bruscolini A, Abbouda A, Locuratolo N, Restivo L, **Trimboli P**, Romanelli F.  
Seminars In Ophthalmology, 2015; 30: 372-376

Serum calcitonin negative medullary thyroid carcinoma: systematic review of the literature.  
**Trimboli P**, Giovanella L.  
Clinical Chemistry and Laboratory Medicine, 2015; 53: 1507-1514

Systemic nickel allergic syndrome as an immune-mediated disease with an increased risk for thyroid autoimmunity.  
Andrioli M, **Trimboli P**, Maio D, Persani L, Minelli M.  
Endocrine 2015; 50: 807-810

A cost analysis of thyroid core needle biopsy vs. diagnostic surgery.  
**Trimboli P**, Nasrollah N, Amendola S, Crescenzi A, Guidobaldi L, Chiesa C, Maglio R, Nigri G, Pontecorvi A, Romanelli F, Giacomelli L, Valabrega S.  
Gland Surgery 2015; 4: 307-311.

Procalcitonin for detecting medullary thyroid carcinoma: a systematic review.  
**Trimboli P**, Seregni E, Treglia G, Alevizaki M, Giovanella L.  
Endocrine-Related Cancer 2015; 22: 157-164

Prevalence of normal TSH value among patients with autonomously functioning thyroid nodule.  
Treglia G, **Trimboli P**, Verburg FA, Luster M, Giovanella L.  
European Journal of Clinical Investigation 2015; 45: 739-44

	Differentiated thyroid cancer patients with a previous indeterminate (Thy 3) cytology have a better prognosis than those with suspicious or malignant FNAC reports. <b>Trimboli P</b> , Bongiovanni M, Rossi F, Guidobaldi L, Crescenzi A, Ceriani L, Nigri G, Valabrega S, Romanelli F, Giovanella L. Endocrine 2015; 49: 191-195
	Preoperative measurement of serum thyroglobulin to predict malignancy in thyroid nodules: a systematic review. <b>Trimboli P</b> , Treglia G, Giovanella G. Hormone and Metabolic Research 2015; 47: 247-252
	Thyroid core needle biopsy: taking stock of the situation. <b>Trimboli P</b> , Crescenzi A. Endocrine 2015; 48: 779-785
	Detection rate of FNA cytology in medullary thyroid carcinoma: a meta-analysis. <b>Trimboli P</b> , Treglia G, Guidobaldi L, Romanelli F, Nigri G, Valabrega S, Sadeghi R, Crescenzi A, Faquin WC, Bongiovanni M, Giovanella L. Clinical Endocrinology 2015; 82: 280-285
2014	Analysis of tissue surrounding thyroid nodules by ultrasound digital images. <b>Trimboli P</b> , Bini F, Andrioli M, Giovanella L, Thorel MF, Ceriani L, Valabrega S, Lenzi A, Drudi FM, Marinozzi F, Romanelli F. Endocrine 2015; 48: 434-438
	Ultrasound features of medullary thyroid carcinoma correlate with cancer aggressiveness: a retrospective multicenter study <b>Trimboli P</b> , Giovanella L, Valabrega S, Andrioli M, Baldelli R, Cremonini N, Rossi F, Guidobaldi L, Barnabei A, Rota F, Paoloni A, Rizza L, Fattorini G, Latini M, Ventura C, Falasca P, Orlandi F, Crescenzi A, D'Ambrosio F, Cantisani V, Romanelli F, Negro R, Saggiorato E, Appeticchia ML. Journal Experimental Clinical Cancer Research 2014; 33: 87
	Neck schwannoma diagnosed by core needle biopsy: a case report. Nasrollah N, <b>Trimboli P</b> , Bianchi D, Taccogna S. Journal of Ultrasound 2014; 18: 407-410
	The essential use of FNA-calcitonin for detecting medullary thyroid cancer. <b>Trimboli P</b> , Guidobaldi L, Crescenzi A, Bongiovanni M, Giovanella L. Endocrine 2014; 47: 342-344
	Medullary thyroid cancer diagnosis: an appraisal. <b>Trimboli P</b> , Giovanella L, Crescenzi A, Romanelli F, Valabrega S, Spriano G, Cremonini N, Guglielmi R, Papini E. Head & Neck 2014; 36: 1216-1223
	Immunohistochemistry for BRAF(V600E) antibody VE1 performed in core needle biopsy samples identifies mutated papillary thyroid cancers. Crescenzi A, Guidobaldi L, Nasrollah N, Taccogna S, Cicciarella Modica DD, Turrini L, Nigri G, Romanelli F, Valabrega S, Giovanella L, Onetti Muda A, <b>Trimboli P</b> . Hormone and Metabolic Research 2014; 46: 370-374
	The use of core needle biopsy as first-line in diagnosis of thyroid nodules reduces false negative and inconclusive data reported by fine needle aspiration <b>Trimboli P</b> , Nasrollah N, Guidobaldi L, Taccogna S, Cicciarella Modica DD, Amendola S, Romanelli F, Lenzi A, Nigri G, Centanni M, Giovanella L, Valabrega S, Crescenzi A. World Journal of Surgical Oncology 2014; 12: 61
	Clinical characteristics as predictors of malignancy in patients with indeterminate thyroid cytology: a meta-analysis. <b>Trimboli P*</b> , Treglia G*, Guidobaldi L, Saggiorato E, Nigri G, Crescenzi A, Romanelli F, Orlandi F, Valabrega S, Sadeghi R, Giovanella L. * equal contribution. Endocrine 2014; 46: 52-9

	<p>Calcitonin measurement in aspiration needle washout fluids has higher sensitivity than cytology in detecting medullary thyroid cancer: a retrospective multicenter study.</p> <p><u>Trimboli P</u>, Cremonini N, Ceriani L, Saggiorato E, Guidobaldi L, Romanelli F, Ventura C, Laurenti O, Messuti I, Solaroli E, Madaio R, Bongiovanni M, Orlandi F, Crescenzi A, Valabrega S, Giovanella L. Clinical Endocrinology 2014; 80: 135-140</p>
	<p>Unstimulated high-sensitive thyroglobulin in follow-up of differentiated thyroid cancer patients: a meta-analysis.</p> <p>Giovanella L, Treglia G, Sadeghi R, <u>Trimboli P</u>, Cerini L, Verburg FA. Journal of Clinical Endocrinology &amp; Metabolism 2014; 99: 440-447</p>
	<p>Elastographic presentation of medullary thyroid carcinoma.</p> <p>Andrioli M, <u>Trimboli P</u>, Amendola S, Valabrega S, Fukunari N, Mirella M, Persani L. Endocrine 2014; 45: 153-155</p>
	<p>Patient's comfort with and tolerability of thyroid core needle biopsy.</p> <p>Nasrollah N*, <u>Trimboli P*</u>, Rossi F, Amendola S, Guidobaldi L, Ventura C, Maglio R, Nigri G, Romanelli F, Valabrega S, Crescenzi A.</p> <p>* equal contribution.</p> <p>Endocrine 2014; 45: 79-83</p>
	<p>A mild Grave's ophthalmopathy during the pregnancy.</p> <p>Abbouda A, <u>Trimboli P</u>, Bruscolini A. Seminars in Ophthalmology 2014; 29: 8-10</p>
2013	<p>High sensitive thyroglobulin assay on thyroxine therapy: can it avoid stimulation test in low and high risk differentiated thyroid carcinoma patients?</p> <p><u>Trimboli P</u>, La Torre D, Ceriani L, Condorelli E, Laurenti O, Romanelli F, Ventura C, Signore A, Valabrega S, Giovanella L. Hormone and Metabolic Research 2013; 45: 664-668</p> <p>Thyroglobulin Levels and Thyroglobulin Doubling-Time Independently Predict a Positive 18FDG-PET/CT Scan in Patients with Biochemical Recurrence of Differentiated Thyroid Carcinoma.</p> <p>Giovanella L, <u>Trimboli P</u>, Verburg F, Treglia G, Piccardo A, Foppiani L, Ceriani L. European Journal of Nuclear Medicine and Molecular Imaging 2013; 40: 874-880</p> <p>Comparison of serum calcitonin and procalcitonin in detecting medullary thyroid carcinoma among patients with thyroid nodules.</p> <p>Giovanella L, Verburg F, Imperiali M, Valabrega S, <u>Trimboli P</u>, Ceriani L. Clinical Chemistry and Laboratory Medicine 2013; 51: 1477-1481</p> <p>Diagnostic value of thyroglobulin assay in cervical lymph node fine-needle aspiration for metastatic differentiated thyroid cancer.</p> <p>Giovanella L, Bongiovanni M, <u>Trimboli P</u>. Current Opinion in Oncology 2013; 25: 6-13</p> <p>Thin core biopsy should help to discriminate thyroid nodules cytologically classified as indeterminate. A new sampling technique.</p> <p>Nasrollah N, <u>Trimboli P</u>, Guidobaldi L, Cicciarella Modica DD, Ventura C, Ramacciato G, Taccogna S, Romanelli F, Valabrega S, Crescenzi A. Endocrine 2013; 43: 659-665</p>
2012	<p>Measuring calcitonin in washout of the needle in patients undergoing fine needle aspiration with suspicious medullary thyroid cancer.</p> <p><u>Trimboli P</u>, Rossi F, Baldelli R, Laurenti O, Nigri G, Ventura C, Appeteccchia M, Attanasio D, Romanelli F, Guidobaldi L, Guarino M, Crescenzi A, Valabrega S. Diagnostic Cytopathology 2012; 40: 394-398</p> <p>Medullary thyroid nodules by measurement of calcitonin (Ct) in aspiration needle washout in patients with multinodular goiter and moderately elevated serum Ct.</p> <p><u>Trimboli P</u>, Nigri G, Romanelli F, Cicciarella Modica DD, Crescenzi A, Valabrega S, Giovanella L. Experimental and Clinical Endocrinology &amp; Diabetes 2012; 120: 234-237</p>

	<p>One in five subjects with normal thyroid ultrasonography has altered thyroid tests.  <u>Trimboli P</u>, Rossi F, Thorel MF, Condorelli E, Laurenti O, Ventura C, Nigri G, Romanelli F, Guarino M, Valabrega S.  Endocrine Journal 2012; 59: 137-143</p> <p>Should we use ultrasound features associated with papillary thyroid cancer in diagnosing medullary thyroid cancer?  <u>Trimboli P</u>, Nasrollah N, Amendola S, Rossi F, Ramacciato G, Romanelli F, Aurelio P, Crescenzi A, Laurenti O, Condorelli E, Ventura C, Valabrega S.  Endocrine Journal 2012; 59: 503-508</p> <p>Ultrasound sensitivity for thyroid malignancy is increased by real time elastography. A prospective multicenter study.  <u>Trimboli P</u>, Guglielmi R, Monti S, Misicchi I, Graziano F, Nasrollah N, Amendola S, Morgante SN, Deiana MG, Valabrega S, Toscano V, Papini E.  Journal of Clinical Endocrinology &amp; Metabolism 2012; 97: 4524-4530</p>
2010	<p>Does normal thyroid gland by ultrasonography match with normal serum thyroid hormones and negative thyroid antibodies?  <u>Trimboli P</u>, Rossi F, Condorelli E, Laurenti O, Ventura C, Nigri G, Romanelli F, Guarino M, Valabrega S.  Experimental and Clinical Endocrinology &amp; Diabetes 2010; 118: 630-632</p>
2009	<p>The thyroid papillary microcarcinoma, a frequent scenario with a not well known biological behaviour.  <u>Trimboli P</u>.  Recenti Progressi in Medicina 2009; 100: 1-3</p> <p>Low value of color flow-doppler in predicting malignancy of thyroid follicular neoplasms.  <u>Trimboli P</u>, Sorrenti S.  Diagnostic Cytopathology 2009; 37: 391-392</p> <p>Comparison of malignancy rate in thyroid nodules with cytology of indeterminate follicular or indeterminate Hürthle cell neoplasm.  Sorrenti S*, <u>Trimboli P*</u>, Catania A, Ulisse S, De Antoni E, D'Armiento M.  * equal contribution.  Thyroid 2009; 19: 355-360</p>
	<p>Clinical and ultrasound parameters in the approach to thyroid nodules cytologically classified as indeterminate neoplasm.  <u>Trimboli P</u>, Condorelli E, Catania A, Sorrenti S.  Diagnostic Cytopathology 2009; 37: 783-785</p>
2008	<p>Analysis of clinical, ultrasound and color flow-doppler characteristics in predicting malignancy of follicular thyroid neoplasms.  <u>Trimboli P</u>, Ulisse S, D'Alò M, Solari F, Fumarola A, Ruggieri M, De Antoni E, Catania A, Sorrenti S, Nardi F, D'Armiento M.  Clinical Endocrinology 2008; 69: 342-344</p> <p>A mathematical formula to estimate in vivo thyroid volume from two-dimensional ultrasonography.  <u>Trimboli P</u>, Ruggieri M, Fumarola A, D'Alò M, Straniero A, Maiuolo A, Ulisse S, D'Armiento M.  Thyroid 2008; 18: 879-882</p> <p>The estimation of the thyroid volume before surgery – an important prerequisite for minimally invasive thyroidectomy.  Ruggieri M, Fumarola A, Straniero A, Maiuolo A, Coletta I, Veltri A, Di Fiore A, <u>Trimboli P</u>, Genderini M, D'Armiento M.  Langenbeck's Archives of Surgery 2008; 393: 721-724</p>
2007	<p>The size criteria in minimally invasive video-assisted thyroidectomy.  Ruggieri M, Straniero A, Genderini M, D'Armiento M, Fumarola A, <u>Trimboli P</u>, Gargiulo P.  BMC Surgery 2007; 7: 2</p>

	The eligibility of MIVA approach in thyroid surgery. Ruggieri M, Straniero A, Genderini M, D'Armiento M, Fumarola A, <b>Trimboli P</b> , Gargiulo P. Langenbeck's Archives of Surgery 2007; 392: 413-416
2006	Thyroid papillary carcinoma arising in ectopic thyroid tissue within a neck branchial cyst. Fumarola A, <b>Trimboli P</b> , Cavaliere R, Coletta I, Veltri A, Di Fiore A, Ciardi A, Piccirilli A. World Journal of Surgical Oncology 2006; 4: 24
	Differential expression of the components of the plasminogen activating system in the human thyroid derived cell lines and papillary carcinomas. Ulisse S, Baldini E, Toller M, Marchioni E, Giacomelli L, De Antoni E, Ferretti E, Marzullo A, Graziano FM, <b>Trimboli P</b> , Biordi L, Curcio F, Gulino A, Ambesi-Impiombato FS, D'Armiento M. European Journal of Cancer 2006; 42: 2631-2638
	Trends in thyroid carcinoma size, age at diagnosis and histology in a retrospective study of 500 cases diagnosed over 20 years. <b>Trimboli P</b> , Ulisse S, Graziano FM, Marzullo A, Ruggieri A, Calvanese A, Piccirilli F, Cavaliere R, Fumarola A, D'Armiento M. Thyroid 2006; 16: 1151-1155
2005	The minimally invasive open video-assisted approach in surgical thyroid disease. Ruggieri M, Straniero A, Mascaro A, Genderini M, D'Armiento M, Gargiulo P, Fumarola A, <b>Trimboli P</b> . BMC Surgery 2005; 5: 9
2003	Iodine supplementation restores fertility of sheep exposed to iodine deficiency. Ferri N, Ulisse S, Aghini-Lombardi F, Graziano FM, Di Mattia T, Russo FP, Arizzi M, Baldini E, <b>Trimboli P</b> , Attanasio D, Fumarola A, Pinchera A, D'Armiento M. Journal of Endocrinological Investigation 2003; 26: 1081-1087.
	Localization and expression of thyroid hormone receptors in normal and neoplastic human thyroid. Crescenzi A, Graziano FM, Carosa E, Papini E, Rucci N, Nardi F, <b>Trimboli P</b> , Calvanese A, Jannini EA, D'Armiento M. Journal of Endocrinological Investigation, 2003; 26: 1008-1012

PUBBLICAZIONI SCIENTIFICHE SU RIVISTE NAZIONALI ITALIANE	10
2018	Uso della Procalcitonina come marker del carcinoma midollare tiroideo. Using Procalcitonin as a marker of medullary thyroid cancer. Giovanella L, <b>Trimboli P</b> . La Rivista Italiana della Medicina di Laboratorio - Italian Journal of Laboratory Medicine.
2009	Le malattie da deficit dell'apporto iodico e le metodiche di determinazione della ioduria. <b>Trimboli P</b> , Marchioni E. Rivista Italiana di Medicina di Laboratorio – Italian Journal of Laboratory Medicine 2009; 5: 184-188
2008	Standards for determination of thyroglobulin and Tg-Ab. Dorizzi RM, Castello R, <b>Trimboli P</b> , Cremonini N, Giovanella L, Tozzoli R. Rivista Italiana di Medicina di Laboratorio – Italian Journal of Laboratory Medicine 2008; 4: 296-297
2006	Apporto iodico e dosaggio della ioduria in gravidanza. Fumarola A, <b>Trimboli P</b> , Coletta I, Marchioni E, Calvanese A, Pace D, Veltri A, Dicorato P, Dainelli M, Ferrace S, D'Armiento M. Giornale di Medicina Militare 2006; 156: 253-256
	Variazioni nell'arco di 20 anni (1985-2004) delle dimensioni, dell'età alla diagnosi e della prevalenza dei carcinomi tiroidei. Studio su 500 casi. <b>Trimboli P</b> , Fumarola A, Graziano FM, Piccirilli F, Pace D, Ruggieri M, Dicorato P, Cavalieri R, Dainelli M, Ferrace S, D'Armiento M. Giornale di Medicina Militare 2006; 156: 249-252

	L'uso del TSH umano ricombinante nel follow-up del carcinoma differenziato della tiroide. Calvanese A, <b>Trimboli P</b> , Graziano FM, Dicorato P, Di Fiore A, Baldini E, Pace D, Dainelli M, Fumarola A, Ferrace S, D'Armiento M. Giornale di Medicina Militare 2006; 156: 245-248
2005	Timing of onset of thyroid diseases in women with previous breast cancer. Dicorato P, <b>Trimboli P</b> , Cavaliere R, Calvanese A, Piccirilli F, Veltri A, Pace D, Coletta I, Fumarola A. Policlinico Journal Surgery 2005; 112
	Thyroid size criteria in MIVAT. Ruggieri M, Straniero A, Chatelou E, Genderini M, D'Armiento M, Fumarola A, <b>Trimboli P</b> , Gargiulo P. Policlinico Journal Surgery 2005; 112.
2004	The diagnostic limit of fine-needle aspiration cytology (FNAC) in the evaluation of thyroid follicular lesions. <b>Trimboli P</b> , Ulisse S, Graziano FM, Pace D, Fumarola A, Patrizi G, Radovic V, Fiengo L, Nardi F, Ruggieri M, Redler A, D'Armiento M. Policlinico Journal Surgery 2004; 111: 3-12
	The fine-needle aspiration cytology (FNAC) in the diagnostic evaluation of thyroid nodules. (Editorial article) <b>Trimboli P</b> , Graziano FM, Cavaliere R, Dicorato P, Ruggieri M, D'Armiento M. Policlinico Journal Surgery 2004; 111: 47-50

CAPITOLI IN LIBRI	9
2017	Procalcitonin: are we ready for clinical use? <b>Trimboli P</b> , Algeciras-Schimnich A, Giovanella A. Measurement of thyroid tumour markers on fine-needle washouts <b>Trimboli P</b> , Giovanella L. Chapters in: Thyroid and neuroendocrine tumour markers. Springer International.
2016	Ultrasonography. <b>Trimboli P</b> . Thyroiditis. <b>Trimboli P</b> , Giovanella L. Medullary Thyroid Carcinoma. <b>Trimboli P</b> , Giovanella L. Chapters in: Atlas of Head and Neck Endocrine Disorders. Springer International.
2014	Agoaspirazione ecoguidata per campioni citologici e microistologici. <b>Trimboli P</b> , Guidobaldi L, Nasrollah N, Amendola S, Crescenzi A. Capitolo 7 in: Manuale di ecografia tiroidea. Griffin, Carimate (CO)
2011	Il nodulo tiroideo. Papini E, Misicchi I, <b>Trimboli P</b> . In: Manuale di patologia nodulare tiroidea (Associazione Medici Endocrinologi, AME).
	Formule di uso comune. <b>Trimboli P</b> , Reda G. In: Manuale di patologia nodulare tiroidea (Associazione Medici Endocrinologi, AME).
2006	I fattori prognostici. Biffoni M, <b>Trimboli P</b> , De Antoni E. Capitolo 6, pag. 103-110. In: Il carcinoma differenziato della tiroide. UTET, Milano; 2006.

ABSTRACTS IN CONGRESSI INTERNAZIONALI	14
2019	A multicenter validation study for the EU-TIRADS using histological diagnosis as gold standard. <b>Trimboli P</b> , Ngu R, Royer B, Giovanella L, Bigorgne C, Simo R, Carroll P, Russ G. European Thyroid Association (ETA) Annual Meeting. Budapest, Ungheria, 2019

2017	<p>Thyroglobulin autoantibodies before radioiodine ablation predict differentiated thyroid cancer outcome.  <u><b>Trimboli P</b></u>, Imperiali M, Giovanella L.  European Thyroid Association (ETA) Annual Meeting. Belgrade, Serbia, 2017</p> <p>HIFU treatment of benign thyroid nodules with different power schedules.  <u><b>Trimboli P</b></u>, Bini F, Marrazzo F, Giovanella L.  European Thyroid Association (ETA) Annual Meeting. Belgrade, Serbia, 2017</p> <p>Clinical evaluation of the new highly-sensitive COBAS® thyroglobulin II assay in patients with differentiated thyroid carcinoma: a multicentric study.  <u><b>Trimboli P</b></u>, Piccardo A, Campenni' A, Orlandi F, Giovanella L.  European Thyroid Association (ETA) Annual Meeting. Belgrade, Serbia, 2017</p>
2015	<p>Prevalence of normal TSH levels in patients with thyroid autonomy detected by thyroid scintigraphy.  Treglia G, <u><b>Trimboli P</b></u>, Verburg F, Luster M, Giovanella L.  Annual Congress of European Association of Nuclear Medicine 2015</p> <p>Telomerase reverse transcriptase promoter mutation analysis on thyroid core needle biopsy.  Callea M, Crescenzi A, <u><b>Trimboli P</b></u>, Cicciarella Modica D, Taffon C, Guidobaldi L, Taccogna S, Rainer A, Trombetta M, Papini E, Zelano G.  17th European Congress of Endocrinology, Dublin, Ireland, 2015</p>
2013	<p>Microhistology by thin core biopsy should discriminate thyroid nodules read at cytology as indeterminate.  Nasrollah N, <u><b>Trimboli P</b></u>, Guidobaldi L, Romanelli F, Nigri G, Valabrega S, Crescenzi A.  4th World Congress for the Advancement of Surgery, Tel-Aviv, Israel, 2013</p>
2012	<p>Diagnostic accuracy of elastography in thyroid nodule ultrasound evaluation. A multicenter trial.  <u><b>Trimboli P</b></u>, Misischi I, Morgante S, Graziano F, Deiana M, Wolosinska D, Pascucci C, Bonifacino A, Bellotti C, Valabrega S, Bizzarri G, Liverani A.  15th Congress of International Society of Endocrinology, 14th Congress of European Society of Endocrinology, Firenze, Italy, 2012</p>
2009	<p>Real-time elastography in addition to traditional ultrasound findings provides a better selection of thyroid nodules to be biopsied. Results of a prospective multicenter trial.  <u><b>Trimboli P</b></u>, Misischi I, Monti S, Valabrega S, Graziano F, Nasrollah N, Amendola S, Morgante S, Deiana MG, Pascucci C, Guglielmi R, Toscano V, Papini E.  European Thyroid Association (ETA) Annual Meeting. Pisa, Italy, 2012</p>
2006	<p>Does normal thyroid gland by ultrasonography match with normal serum thyroid hormones and negative thyroid antibodies?  <u><b>Trimboli P</b></u>, Rossi F, Condorelli E, Laurenti O, Ventura C, Nigri G, Romanelli F, Guarino M, Valabrega S.  American thyroid Association (ATA) Annual Meeting, Palm Beach (FL), USA, 2009. In: Thyroid 2009; 19(S1): S-87.</p>
2006	<p>The eligibility of MIVA approach in thyroid surgery.  Ruggieri M, Straniero A, Chatelou E, Fumarola A, <u><b>Trimboli P</b></u>, Gargiulo P, Genderini M.  European Society of Endocrine Surgeons (ESES) Biennial Congress, Cracow, Poland, 2006</p> <p>Trends in thyroid carcinoma size, age at diagnosis and histology in a retrospective study in 500 cases diagnosed over 20 years.  <u><b>Trimboli P</b></u>, Ulisse S, Graziano FM, Nardi F, Cavaliere R, Piccirilli F, Calvanese A, Fumarola A, D'Armiento M.  European Thyroid Association (ETA) Annual Meeting. Napoli, Italy, 2006</p>
2006	<p>Differential expression of the components of the plasminogen activating system in human thyroid tumor driven cell lines and papillary carcinomas.  Ulisse S, Baldini E, Marchioni E, Giacomelli L, Ferretti E, Marzullo A, Graziano FM, <u><b>Trimboli P</b></u>, Gulino A.  European Thyroid Association (ETA) Annual Meeting. Napoli, Italy, 2006</p>

2005	The minimally invasive open video-assisted approach in surgical thyroid diseases. Ruggieri M, Straniero A, Mascaro A, Genderini M, D'Armiento M, Gargiulo P, Fumarola A, <b>Trimboli P.</b> International Surgical Week (ISW), Germany, 2005
2003	Differential expression of matrix metalloproteinases and plasminogen activators in normal and neoplastic human thyroid cell lines. Baldini E, Toller M, Russo FP, Fumarola A, Attanasio D, Graziano FM, <b>Trimboli P.</b> , Ulisse S, D'Armiento M. European Thyroid Association (ETA) Annual Meeting. Edinburgh, UK, 2003

ABSTRACTS IN CONGRESSI NAZIONALI	29
2016	The degree of TSH suppression of autonomously functioning thyroid nodules is correlated with their stiffness at real-time elastography. <b>Trimboli P.</b> , Paone G, Treglia G, Ceriani L, Giovanella L. Annual Meeting of SGED SSED, Bern (Switzerland)
2015	Galectin-3 and HBME-1 improve the accuracy of core biopsy in indeterminate thyroid nodules. <b>Trimboli P.</b> , Guidobaldi L, Amendola S, Nasrollah N, Romanelli F, Attanasio D, Saggiorato E, Valabrega S, Crescenzi A. XXXVIII Congresso Nazionale Società Italiana di Endocrinologia. Taormina. SELEZIONATO COME POSTER DISCUSSO IN ORALE.
2013	Uso della core needle biopsy (CNB) nei noduli tiroidei con citologia indeterminata Nasrollah N, Amendola S, Cicciarella Modica DD, Guidobaldi L, Romanelli F, Valabrega S, <b>Trimboli P.</b> , Crescenzi A. 12° Congresso Nazionale AME e 6° Meeting congiunto con AACE. Bari. SELEZIONATO COME COMUNICAZIONE ORALE E VINCITORE PREMIO MIGLIORI POSTER.  Analisi di costo-beneficio derivanti dall'utilizzo della Core Needle Biopsy nella selezione pre-chirurgica dei noduli tiroidei citologicamente indeterminati (Thy-3). Nasrollah N, Amendola S, Giacomelli L, Crescenzi A, Guidobaldi L, Romanelli F, <b>Trimboli P.</b> , Valabrega S. 12° Congresso Nazionale AME e 6° Meeting congiunto con AACE. Bari.  Aspetto elastografico del carcinoma midollare tiroideo. Andrioli M, <b>Trimboli P.</b> , Amendola S, Valabrega S, Fukunari N, Moro M, Persani L. 12° Congresso Nazionale AME e 6° Meeting congiunto con AACE. Bari.
2012	Il dosaggio di calcitonina su liquido di lavaggio di agoaspirato identifica il carcinoma midollare tiroideo con una sensibilità superiore alla citologia. <b>Trimboli P.</b> , Bongiovanni M, Guidobaldi L, Ventura C, Laurenti O, Romanelli F, Fattorini G, Madaio R, Crescenzi A, Valabrega S, Giovanella L. XXX Giornate Italiane della Tiroide, VI Congresso Associazione Italiana della Tiroide (AIT). Foggia.  Dosaggio della procalcitonina sierica in pazienti con nodulo tiroideo: studio prospettico. <b>Trimboli P.</b> , Ceriani L, Verburg F, Maglio R, Imperiali M, Valabrega S, Giovanella L. XXX Giornate Italiane della Tiroide, VI Congresso Associazione Italiana della Tiroide (AIT). Foggia.
2011	Measuring calcitonin in washout of the needle in patients undergoing fine needle aspiration with suspicious medullary thyroid cancer. <b>Trimboli P.</b> , Rossi F, Baldelli R, Guidobaldi L, Appeteccchia M, Barnabei A, Romanelli F, Crescenzi A, Valabrega S. In: Journal of Endocrinological Investigation. XXXIII National Congress of the Italian Society of Endocrinology. Pescara.  Incretin based therapy: a single center experience. Ventura C, Pierantozzi A, Bonato V, Laurenti O, Condorelli E, <b>Trimboli P.</b> , Guarino M, Pitigliani C, Spinelli G. XVIII Congresso Nazionale Associazione Medici Diabetologi (AMD). Rossano Calabro.

	L'uso di Tg in alta sensibilità nel follow-up del carcinoma tiroideo differenziato potrebbe non richiedere test di stimolo di Tg. La Torre D, Condorelli E, Attanasio D, Laurenti O, Romanelli F, Ventura C, Valabrega S, <b><u>Trimboli P.</u></b> XI Congresso Nazionale Associazione Medici Endocrinologi (AME). Udine. SELEZIONATO COME COMUNICAZIONE ORALE E PREMIO MIGLIOR POSTER PER L'ARGOMENTO "TIROIDE".
2010	One in five adult subjects with normal thyroid gland at ultrasonography has altered thyroid laboratory tests. <b><u>Trimboli P.</u></b> , Rossi F, Thorel MF, Ventura, Romanelli F, Valabrega S. XXXIV Giornate Endocrinologiche Pisane. Pisa.
2009	Il normale aspetto ecografico tiroideo si associa a normale funzione ghiandolare nell'80% dei casi. <b><u>Trimboli P.</u></b> , Rossi F, Thorel MF, Romanelli F, Valabrega S. IX Congresso Nazionale Associazione Medici Endocrinologi (AME). Milano.
2008	Occhio secco e qualità della vita nel morbo di Basedow senza segni di oftalmopatia. Bruscolini A, Abbouda A, Locuratolo N, <b><u>Trimboli P.</u></b> VIII Congresso Nazionale Associazione Medici Endocrinologi (AME) e IV Meeting congiunto con American Association of Clinical Endocrinologists (AACE). Torino.
	Caratteri clinici predittivi di malignità nelle neoplasie follicolari tiroidee: revisione della letteratura. Condorelli E, Rossi F, Valabrega S, <b><u>Trimboli P.</u></b> VIII Congresso Nazionale Associazione Medici Endocrinologi (AME) e IV Meeting congiunto con American Association of Clinical Endocrinologists (AACE). Torino.
2007	Medullary thyroid carcinoma associated with tuberous sclerosis: a case report. Diorato P, <b><u>Trimboli P.</u></b> , Calvanese A, Piccirilli F, Cavalieri R, Veltri A, Dainelli M, Ruggieri M, Fumarola A. In: Journal of Endocrinological Investigation, Vol. 30, Suppl. to No 4, 2007. XXXII National Congress of the Italian Society of Endocrinology. Verona.
	High sensitivity thyroglobulin in rhTSH test. <b><u>Trimboli P.</u></b> , Calvanese A, Piccirilli F, Cavalieri R, Bocchini S, Sorrenti S, De Antoni E, Fumarola A. In: Journal of Endocrinological Investigation, Vol. 30, Suppl. to No 4, 2007. XXXII National Congress of the Italian Society of Endocrinology. Verona.
2005	Metastasi di carcinoma papillare occulto nella tiroide insorta in cisti laterale del collo. Fumarola A, Piccirilli F, Diorato P, Calvanese A, <b><u>Trimboli P.</u></b> , Cavalieri R, Ulisse S, D'Armiento M. In: Journal of Endocrinological Investigation, Vol. 28, Suppl. to No 4, 2005. XXXI National Congress of the Italian Society of Endocrinology. Genova.
	Espressione dei componenti del sistema di attivazione del plasminogeno nelle lesioni benigne e maligne della tiroide. Baldini E, <b><u>Trimboli P.</u></b> , Pace D, Marzullo A, Fumarola A, Graziano FM, Biordi L, Diorato P, Ulisse S, D'Armiento M. In: Journal of Endocrinological Investigation, Vol. 28, Suppl. to No 4, 2005. XXXI National Congress of the Italian Society of Endocrinology. Genova.
	Caratteri suggestivi di malignità delle lesioni follicolari della tiroide. Calvanese A, Graziano FM, Fumarola A, Piccirilli F, Cavalieri R, Coletta I, Veltri A, Di Fiore A, <b><u>Trimboli P.</u></b> XXIII Giornate Italiane della Tiroide. Torino.
2004	Post-transcriptional control of urokinase plasminogen activator expression in different cell lines derived from human thyroid tumors. Baldini E, Toller M, Marchionni E, <b><u>Trimboli P.</u></b> , Graziano FM, Curcio F, Ulisse S, Ambesi-Impiombato FS, D'Armiento M. In: Journal of Endocrinological Investigation, vol. 27, Suppl. to No 5, 2004. XXV Giornate Endocrinologiche Pisane. Pisa.

	<p>Limiti dell'esame citologico su agoaspirato nella diagnosi delle lesioni follicolari della tiroide.  <u>Trimboli P</u>, Graziano FM, Attanasio D, Cavaliere R, Nardi F, Ulisse S, D'Armiento M.  XXII Giornate Italiane della Tiroide. Salerno.</p> <p>Aumentata espressione dei membri della famiglia delle chinasi aurora nella trasformazione neoplastica del tireocita umano.  Ulisse S, Arlot-Bonnemains Y, Delcros JD, Baldini E, Toller M, <u>Trimboli P</u>, Graziano FM, Curcio F, Ambesi-Impiombato FS, D'Armiento M.  XXII Giornate Italiane della Tiroide. Salerno.</p>
2003	<p>Il carcinoma anaplastico della tiroide.  Piccirilli F, Calvanese A, Graziano FM, Attanasio D, Fumarola A, <u>Trimboli P</u>, D'Armiento M.  The International Meeting of Hospices. Roma.</p>
2002	<p>Espressione differenziale delle metalloproteasi in diverse linee cellulari di tumori tiroidei.  Ulisse S, Baldini E, Russo FP, Graziano FM, Piccirilli F, <u>Trimboli P</u>, D'Armiento M.  XXIV Giornate Italiane della Tiroide. Pisa.</p>
2001	<p>Long term results of percutaneous ethanol injection of autonomous and cystic thyroid nodules: limits and indications of PEI.  Papini E, Graziano F, Poggi M, Guglielmi R, Rinaldi R, Petrucci L, Panunzi C, <u>Trimboli P</u>, Pacella C, Bianchini A, Toscano V.  In: Journal of Endocrinological Investigation, vol. 24, Suppl. to No 7, 2001. XIX National Congress of the Italian Society of Endocrinology. Bologna.</p> <p>Beneficial effects of iodoprophilaxis on ovine reproduction.  Ulisse S, Ferri N, Di Mattia T, Centi C, Attanasio D, <u>Trimboli P</u>, D'Armiento M.  In: Journal of Endocrinological Investigation, vol. 24, Suppl. to No 7, 2001. XIX National Congress of the Italian Society of Endocrinology. Bologna.</p>
	<p>Prevalence of chronic prostatitis in men with premature ejaculation.  Screponi E, Carosa E, Di Stasi SM, Fumarola A, <u>Trimboli P</u>, Carruba G, Jannini EA.  In: Journal of Endocrinological Investigation, Vol. 24, Suppl. to No 7, 2001. XIX National Congress of the Italian Society of Endocrinology. Bologna.</p> <p>Nitric oxide syntase isoforms, androgen receptor and type-5 phosphodiesterase (PDE5) in human vagina.  D'Amati G, Giordano D, Di Gioia CRT, Bologna M, Giorni M, <u>Trimboli P</u>, Graziano FM, D'Armiento FM, Jannini EA.  In: Journal of Endocrinological Investigation, Vol. 24, Suppl. to No 7, 2001. XIX National Congress of the Italian Society of Endocrinology. Bologna.</p>
	<p>The role of thyroid hormone in the metamorphosis of tunicate Ciona intestinalis.  Carosa E, Jannini EA, Graziano FM, Attanasio D, <u>Trimboli P</u>, D'Armiento M.  Consiglio Nazionale delle Ricerche, Progetto Finalizzato Biotecnologie. Genova.</p>
2000	<p>Expression and localization of thyroid hormone receptor mRNA in normal, hyperplastic and neoplastic human thyroid.  Jannini EA, Crescenzi A, Rucci N, Graziano FM, Nardi F, <u>Trimboli P</u>, Papini E, D'Armiento M.  In: Journal of Endocrinological Investigation, vol. 23, Suppl. to No 6, 2000. XXIII Giornate Endocrinologiche Pisane. Pisa.</p>

#### PRINCIPALI PARTECIPAZIONI IN CONGRESSI SU INVITO

2019	<p>European Congress of Endocrinology ECE). Annual Meeting of European Society of Endocrinology (ESE). Pre-Congress Thyroid Ultrasound Course. <b>Invited Speaker:</b> "How to optimize fine needle biopsy".</p> <p>MIT 2019: verso una sempre minore invasività dei trattamenti. Milano. <b>Invited Speaker:</b> "Reliability of LA and RFA in reducing volume of cold benign thyroid nodule".</p>
------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

2018	<p>Thyroid seminar. Università San Raffaele, Milano. <b>Invited Speaker:</b> “Confronto tra diversi sistemi di classificazione ecografica del nodulo tiroideo”.</p> <p>Coordinated Patient Management in the Genetic Era by Practitioners and Fertility Centers. Lugano. <b>Invited Speaker:</b> “Thyroid insights for reproduction medicine specialists”.</p> <p>Corso pratico in Endocrinologia e Diabetologia. Livorno. <b>Invited Speaker:</b> “High frequency ultrasonography”.</p> <p>AFSUMB – Annual meeting of Korean Society of Thyroid Radiology- Seoul. <b>Chairman</b> in “Thyroid Core Needle Biopsy”. <b>Invited speaker:</b> “Role of Core Needle Biopsy in Europe”.</p>
2017	<p>Swiss Congress of Radiology. Bern. <b>Invited Speaker:</b> “US-therapy: High-intensity focused ultrasound”.</p> <p>Updates in carcinoma tiroideo differenziato. Bolzano. <b>Invited Speaker:</b> “Gestione del paziente con DTC localmente avanzato”.</p> <p>Mendrisio Medical Meeting. Mendrisio. <b>Invited Speaker:</b> “Con l’HIFU non si opererà più?”</p>
2016	<p>Corso pratico in Endocrinologia e Diabetologia. Livorno. <b>Invited Speaker:</b> “HIFU”.</p>
2015	<p>10th Multidisciplinary course on thyroid pathology and cytology. Rome Catholic University. <b>Chairman</b> in “Diagnosis and management of thyroid nodules”.</p>
2014	<p>13° Congresso Nazionale AME. Roma. <b>Coordinatore</b> della sessione “Nodulo tiroideo: agoaspirato o core needle biopsy?”. <b>Invited Speaker:</b> “CNB: tra evidenze e limiti”.</p> <p>Diagnostica di laboratorio nella patologia tiroidea e surrenale. Campobasso. <b>Invited Speaker:</b> “Indicazioni ed appropriatezza della diagnostica di laboratorio nella patologia funzionale tiroidea”, e “Diagnostica di Laboratorio e patologia nodulare tiroidea: casi clinici”. <b>Discussant</b> in “Tiroide e Laboratorio: Come contrastare l’inappropriatezza prescrittiva”.</p> <p>2° Thyroid UpToDate AME. Ariccia (Roma). <b>Discussant</b> in: “Terapia con levotiroxina: un capitolo che torna ad aprirsi. Assorbimento, scelta della formulazione, TSH e rischio di malignità”.</p> <p>Attività Didattica Elettiva (ADE) del Corso Internazionale di Laurea in Medicina e Chirurgia dell’Università sapienza di Roma. <b>Invited Speaker:</b> “Diagnosis and treatment of thyroid tumors: molecular approaches”.</p> <p>Gestione delle patologie tiroidee nel territorio. Orvieto (Rieti). <b>Invited Speaker:</b> “Inquadramento diagnostico del nodulo tiroideo”.</p>
2013	<p>12° Congresso Nazionale AME e 6° Meeting congiunto con AACE. Bari. <b>Invited Speaker:</b> “La sorveglianza loco-regionale” in I tumori tiroidei a rischio intermedio.</p> <p>31° Giornate Italiane della Tiroide, 7° Congresso Società Italiana della Tiroide (AIT). Roma. <b>Invited Speaker:</b> “Incontro con l’esperto: la core needle biopsy della tiroide”.</p>
2012	<p>1° Corso Nazionale di Aggiornamento (AME). Roma. <b>Invited Speaker:</b> “Microistologia: come, quando, perché”.</p>
2011	<p>11° Congresso Nazionale AME. Udine. <b>Chairman:</b> “Discussione orale dei migliori poster”.</p>
2010	<p>10° Congresso Nazionale AME e 5° Meeting congiunto con AACE. Napoli. <b>Chairman:</b> “Clinical cases discussion: Thyroid”. <b>Invited Speaker:</b> “Hyperthyroidism in the elderly” in Endocrine diseases in the elderly.</p>

	1° Congresso Giovani Endocrinologi AME Lazio. Roma. <u>Chairmain</u> : "Terapia sostitutiva nell'ipotiroidismo".
2009	Hot topics nella gestione della coppia sterile. Roma. <u>Chairman and Invited Speaker</u> : "La consulenza endocrinologica: quando richiederla".
2008	9° Congresso Nazionale AME. Milano. <u>Invited Speaker</u> : "Gestione perioperatoria delle patologie endocrine: ipo e ipercalcemie".